

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

- 5 1 (currently amended): An interface apparatus comprising:
- a base;
  - a receiving circuit for receiving a video signal;
  - a display panel for transforming the video signal into an image and displaying the image thereon;
  - 10 a shaft connected to the display panel and movably disposed on the base, wherein the shaft is movable in up, down, left, right, or diagonal directions, and is rotatable in a plane parallel with a plane of the display panel; and
  - a detecting module for detecting a movement of the shaft relative to the base and generating a detecting signal correspondingly;
  - 15 wherein when the shaft is moved, the shaft simultaneously moves the display panel, and the detecting module generates the detecting signal, and when the ~~interface apparatus is~~ shaft and the display panel are rotated in ~~[[a]]~~ the plane parallel with a plane of the display apparatus panel,
  - 20 the images displayed on the display panel move corresponding to the rotation of the interface apparatus.
- 2 (original): The interface apparatus of claim 1 wherein the shaft further comprises at least one handle connected to the display panel for a user to move the shaft.
- 25 3 (original): The interface apparatus of claim 2 wherein the shaft further comprises:
- at least one button disposed on the handle for the user to press; and
  - a button circuit outputting a corresponding button signal while the
  - 30 button is pressed.

4 (original): The interface apparatus of claim 1 wherein the display panel is a liquid crystal display.

5 (currently amended): A computer system comprising:

- 5 a mainframe providing a video signal; and  
an interface apparatus electrically connected to the mainframe, the interface apparatus comprising:  
a base;  
a receiving circuit for receiving the video signal;  
10 a display panel for transforming the video signal into an image and displaying the image;  
a shaft connected to the display panel and movably disposed on the base, wherein the shaft is movable in up, down, left, right, or diagonal directions, and is rotatable in a plane  
15 parallel with a plane of the display panel; and  
a detecting module for detecting a movement of the shaft relative to the base and outputting a detecting signal;  
wherein when the shaft is moved, the shaft simultaneously moves the display panel, and the detecting module outputs the detecting  
20 signal to the mainframe, and when the ~~interface apparatus is~~ shaft and the display panel are rotated in [[a]] the plane parallel with a plane of the display apparatus panel, the images displayed on the display panel move corresponding to the rotation of the interface apparatus.

25 6 (original): The computer system of claim 5 wherein the shaft further comprises at least one handle connected to the display panel for a user to move the shaft.

7 (original): The computer system of claim 6 wherein the shaft further comprises:

- 30 at least one button located on the handle for the user to press; and  
a button circuit outputting a corresponding button signal while the button is pressed, and the mainframe receiving the button signal

and performing a relative operation.

8 (original): The computer system of claim 5 wherein the display panel  
is a liquid crystal display.

5